

SILANTES GmbH, Gollierstraße 70 C // 4, 80339 München, Germany

- ¥3

Product Name:	<b>Set of 4 dNTPs</b> <sup>15</sup> N labeled (4 x 10 mg) <sup>15</sup> N labeled Deoxyribonucleoside 5'-triphosphates (Li <sub>2</sub> -salt) 90 mM – 100 mM; 5 mM TrisHCl pH 7.5	
Product Number:	120306100	
Lot Number:		
Storage:	below –20°C	

#### Silantes GmbH certifies that this material does conform to the specifications stated below:

TEST	SPECIFICATION	LOT RESULTS
APPEARANCE	PEARANCE TRANSPARENT CONFORMS	
PURITY	> 90% BY HPLC ASSAYS	CONFORMS
ISOTOPE ENRICHMENT > 98% CONFORMS		CONFORMS
Amount	4 x 10 mg	CONFORMS
Concentration	90 mM – 100 mM	CONFORMS
Content	<ul> <li><sup>15</sup>N labeled dATP (10 mg)</li> <li><sup>15</sup>N labeled dCTP (10 mg)</li> <li><sup>15</sup>N labeled dGTP (10 mg)</li> <li><sup>15</sup>N labeled dTTP (10 mg)</li> </ul>	Lot: dATP-N-0902-1 Lot: 120XXN-dCTP-803-01 Lot: 120XXN-dGTP-803-01 Lot: dTTP-N-0208-1

QC ACCEPTANCE DATE	5.12.2018
Authorized Signature:	Anastasia Rogozina

#### This Product Is For Laboratory Use Only



SILANTES GmbH, Gollierstraße 70 C // 4, 80339 München, Germany


Product Name:	<b>dATP</b> <sup>·15</sup> N labeled (10 mg) <sup>15</sup> N labeled Deoxyadenosine 5'–triphosphate (Li <sub>2</sub> –salt) 100 mM; 5 mM TrisHCl pH 7.5
Product Number:	120303601
Lot Number:	dATP-N-0902-1
Storage:	below -20°C

### Silantes GmbH certifies that this material does conform to the specifications stated below:

TEST	SPECIFICATION	LOT RESULTS
APPEARANCE	TRANSPARENT	CONFORMS
PURITY	> 90% BY HPLC ASSAYS	92.9%
ISOTOPE ENRICHMENT	> 98%	CONFORMS
Concentration	100 mM, 50.8 mg/ml	CONFORMS
Amount	10 mg, 197 µl	CONFORMS
E <sub>259</sub>	15.4•10 <sup>3</sup> M <sup>-1</sup> •cm <sup>-1</sup>	
Molecular weight	508.1 g/mole	

QC ACCEPTANCE DATE	5.12.2018	
Authorized Signature:	Anastasia Rogozina	

#### Quality control by Ion Exchange HPLC



#### This Product Is For Laboratory Use Only



SILANTES GmbH, Gollierstraße 70 C // 4, 80339 München, Germany


Product Name:	<b>dCTP</b> <sup>15</sup> N labeled (10 mg) <sup>15</sup> N labeled Deoxycytidine 5'-triphosphate (Li <sub>2</sub> -salt) 100 mM; 5 mM TrisHCl pH 7.5	
Product Number:	120303602	
Lot Number:	120XXN-dCTP-803-01	
Storage:	below -20°C	

## Silantes GmbH certifies that this material does conform to the specifications stated below:

SPECIFICATION	LOT RESULTS
TRANSPARENT	CONFORMS
> 90% BY HPLC ASSAYS	98.8%
> 98%	CONFORMS
100 mM, 48.2 mg/ml	CONFORMS
10 mg, 207 µl	CONFORMS
9.1•10 <sup>3</sup> M <sup>-1</sup> •cm <sup>-1</sup>	
482 g/mole	
	TRANSPARENT         > 90% BY HPLC ASSAYS         > 98%         100 mM, 48.2 mg/ml         10 mg, 207 μl         9.1•10 <sup>3</sup> M <sup>-1</sup> •cm <sup>-1</sup>

QC ACCEPTANCE DATE	5.12.2018	
Authorized Signature:	Anastasia Rogozina	

### Quality control by Ion Exchange HPLC



#### This Product Is For Laboratory Use Only



SILANTES GmbH, Gollierstraße 70 C // 4, 80339 München, Germany


Product Name:	<b>dGTP</b> <sup>15</sup> N labeled (10 mg) <sup>15</sup> N labeled Deoxyguanosine 5'-triphosphate (Li <sub>2</sub> -salt) 90 mM; 5 mM TrisHCl pH 7.5	
Product Number:	120303603	
Lot Number:	120XXN-dGTP-803-01	
Storage:	below -20°C	

## Silantes GmbH certifies that this material does conform to the specifications stated below:

TEST	SPECIFICATION	LOT RESULTS
APPEARANCE	TRANSPARENT	CONFORMS
PURITY	> 90% BY HPLC ASSAYS	99.2%
ISOTOPE ENRICHMENT	> 98%	CONFORMS
Amount	10 mg, 212 µl	CONFORMS
Concentration	90 mM, 47.17 mg/ml	CONFORMS
E <sub>253</sub>	13.7•10 <sup>3</sup> M <sup>-1</sup> • cm <sup>-1</sup>	
Molecular weight	524.1 g/mole	

QC ACCEPTANCE DATE	5.12.2018	
Authorized Signature:	Anastasia Rogozina	

#### Quality control by Ion Exchange HPLC



#### This Product Is For Laboratory Use Only



SILANTES GmbH, Gollierstraße 70 C // 4, 80339 München, Germany


Product Name:	<b>dTTP</b> <sup>15</sup> N labeled (10 mg) <sup>15</sup> N labeled Thymidine 5'–triphosphate (Li <sub>2</sub> –salt) 100 mM; 5 mM TrisHCl pH 7.5
Product Number:	120303604
Lot Number:	dTTP_N_0208_1
Storage:	below -20°C

## Silantes GmbH certifies that this material does conform to the specifications stated below:

TEST	SPECIFICATION	LOT RESULTS
APPEARANCE	TRANSPARENT	CONFORMS
PURITY	> 90% BY HPLC ASSAYS	94.9%
ISOTOPE ENRICHMENT	> 98%	CONFORMS
Concentration	100 mM, 49.6 mg/ml	CONFORMS
Amount	10 mg, 202 µl	CONFORMS
E <sub>267</sub>	9.6•10 <sup>3</sup> M <sup>-1</sup> •cm <sup>-1</sup>	
Molecular weight	496 g/mole	
QC ACCEPTANCE DATE	5 12 2018	

QC ACCEPTANCE DATE	5.12.2018	
Authorized Signature:	Anastasia Rogozina	

### Quality control by Ion Exchange HPLC



#### This Product Is For Laboratory Use Only